

Report for *Eriogonum prociduum*

TAXON DETAILS

Classification

| | |
|----------------------|---------------------------------|
| Scientific Name | <i>Eriogonum prociduum</i> Rev. |
| Common Name | prostrate buckwheat |
| Family | Polygonaceae |
| Element Code | PDPGN084W0 |
| USDA Plants Symbol | <u>ERPR9</u> |
| Synonyms/Other Names | |

Conservation Status

| | |
|----------------------------|---------------------------|
| California Rare Plant Rank | 1B.2 |
| Global Rank | G3 |
| State Rank | S3 |
| CESA | None |
| FESA | None |
| Other Status | BLM_S; SB_BerrySB; USFS_S |
| CRPR Changes | |
| Date Added | 1974-01-01 |
| Last Update | 2021-12-09 |

Ecology and Life History

| | |
|----------------------|---|
| Lifeform | perennial herb |
| Blooming Period | May-Aug |
| Elevation m (ft) | 1300-2705 (4265-8875) |
| General Habitats | Great Basin scrub, Pinyon and juniper woodland, Upper montane coniferous forest |
| Microhabitat Details | |
| Microhabitat | Volcanic |

Threat List Data from the CNDDDB

| | | |
|--------------------------------|------------------|--------------------|
| Threat List Total: | | 11 |
| | Total EOs | Percent EOs |
| EOs with Threats Listed | 21 | 64% |
| Threat List: | | |
| Road/trail construction/maint. | 12 | 36% |
| Foot traffic/trampling | 7 | 21% |
| Grazing | 7 | 21% |
| ORV activity | 3 | 9% |
| Recreational use (non-ORV) | 3 | 9% |
| Non-native plant impacts | 2 | 6% |
| Wood cutting or brush clearing | 2 | 6% |
| Other | 1 | 3% |
| Improper burning regime | 1 | 3% |
| Development | 1 | 3% |
| Erosion/runoff | 1 | 3% |

Element Occurrence Data from the CNDDDB

| | |
|-----------------------------------|----|
| Total Element Occurrences: | 33 |
| Element Occurrence Ranks: | |
| Excellent (A) | 5 |
| Good (B) | 9 |
| Fair (C) | 3 |
| Poor (D) | 0 |
| None (X) | 0 |
| Unknown (U) | 16 |
| Occurrence Status | |
| Historical, > 20 years | 24 |
| Recent, < 20 years | 9 |
| Presence | |
| Presumed Extant | 33 |
| Possibly Extirpated | 0 |
| Presumed Extirpated | 0 |

Location

| | |
|---|----|
| California Endemic | No |
| Counties | |
| Lassen (LAS), Modoc (MOD) | |
| States | |
| California (CA), Nevada (NV), Oregon (OR) | |
| Quads | |

Alturas (4112045), Ash Valley (4112016), Cedarville (4112052), Eagle Peak (4112032), Fort Bidwell (4112072), Hansen Island (4112041), Harvey Mtn. (4012161), Infernal Caverns (4112035), Lane Reservoir (4112017), Payne Peak (4112053), Rattlesnake Butte (4112046), Said Valley (4012087), Spencer Creek (4012031), Sugar Hill (4112073), Surprise (4112054), Tule Mountain (4112024), Warren Peak (4112042), Washington Mtn. (4112048), Whiting Mtn. (4012086), Willow Ranch (4112083)

Notes

Definitions of codes preceding a county and/or quad:

* Presumed extirpated

(*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

Threatened by trampling. Possibly threatened by grazing and non-native plants. On watch list in NV, and candidate for state listing in OR. See *Aliso* 7(4):415-419 (1972) for original description, *Fremontia* 16(1):15-17 (1988) for brief species account and BLM management plans, and *Phytologia* 66(4):321 (1989) for taxonomic treatment.

Threats

Taxonomy

Selected References

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website <https://www.rareplants.cnps.org> [accessed 19 May 2024].