

CNPS Inventory of Rare and Endangered Plants of

California

rareplants.cnps.org



CALIFORNIA
NATIVE PLANT SOCIETY

PLANT DETAIL

Classification

Scientific Name	<i>Eriogonum umbellatum</i> Torrey var. <i>bahiiforme</i> (Torrey & A. Gray) Jepson
Common Name	bay buckwheat
Family	Polygonaceae
Element Code Name	PDPGN086UB
USDA Plants Symbol	ERUMB
Synonyms/Other Names	

Conservation Status

California Rare Plant Rank	4.2
Global Rank	G5T3
State Rank	S3
CESA	None
FESA	None
Other Status	
CRPR Changes	
Date Added	1/1/2001
Last Change	12/9/2021

Ecology and Life History

Lifeform	perennial herb
Blooming Period	Jul-Sep
Elevation: m (ft)	700-2200 (2295-7220)
General Habitat	Cismontane woodland, Lower montane coniferous forest
General MicroHabitat	
Micro Habitat	Rocky, Serpentinite (often)

Element Occurrence Data from California Natural Diversity Database

Total Element Occurrences	0
Element Occurrence Ranks	
Excellent (A)	0
Good (B)	0
Fair (C)	0
Poor (D)	0
None (X)	0

Unknown (U)	0
Occurrence Status	
Historical, > 20 years	0
Recent, < 20 years	0
Presence	
Presumed Extant	0
Possibly Extirpated	0
Presumed Extirpated	0

Location

CA Endemic Yes

Counties

Alameda (ALA), Colusa (COL), Contra Costa (CCA), Glenn (GLE), Mendocino (MEN), Monterey (MNT), Napa (NAP), San Benito (SBT), Santa Barbara (SBA), Santa Clara (SCL), Sonoma (SON), Tehama (TEH)

States

California (CA)

Quads

Cedar Mtn. (3712155), Clayton (3712188), Crockett Peak (3912247), Detert Reservoir (3812265), Diablo (3712178), Fouts Springs (3912236), Gilmore Peak (3912235), Hull Mountain (3912258), Idria (3612046), La Costa Valley (3712157), Lick Observatory (3712136), Lodoga (3912234), Mark West Springs (3812256), Mendenhall Springs (3712156), Mendocino Pass (3912278), Niles (3712158), Plaskett Meadows (3912267), San Benito Mtn. (3612036), San Rafael Mtn. (3411967), Sanhedrin Mtn. (3912351), South Yolla Bolly (4012217), Tassajara (3712177), Tassajara Hot Springs (3612125), Ventana Cones (3612136)

Notes

Definitions of codes preceding a county and/or quad:

* Presumed extirpated

(*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

General Notes

See *Phytologia* 66(4): 341-346 (1989) for taxonomic treatment.

Distribution

Threats

Taxonomy

Other

References