

Report for *Raillardella pringlei*

TAXON DETAILS



©2008 Shauna Hee



©2018 Julie Kierstead Nelson



©2009 Julie Kierstead Nelson

Classification

| | |
|----------------------|-------------------------------------|
| Scientific Name | <i>Raillardella pringlei</i> Greene |
| Common Name | showy raillardella |
| Family | Asteraceae |
| Element Code | PDAST7X030 |
| USDA Plants Symbol | <u>RAPR</u> |
| Synonyms/Other Names | |

Conservation Status

| | |
|----------------------------|------------------------------------|
| California Rare Plant Rank | 1B.2 |
| Global Rank | G2G3 |
| State Rank | S2S3 |
| CESA | None |
| FESA | None |
| Other Status | SB_BerrySB; SB_CalBG/RSABG; USFS_S |
| CRPR Changes | |
| Date Added | 1974-01-01 |
| Last Update | 2022-06-08 |

Ecology and Life History

| | |
|----------------------|---|
| Lifeform | perennial rhizomatous herb |
| Blooming Period | Jul-Sep |
| Elevation m (ft) | 1200-2290 (3935-7515) |
| General Habitats | Bogs and fens, Meadows and seeps, Upper montane coniferous forest |
| Microhabitat Details | |
| Microhabitat | Mesic, Serpentine |

Threat List Data from the CNDDDB

| | | |
|---------------------------------------|------------------|--------------------|
| Threat List Total: | | 9 |
| | Total EOs | Percent EOs |
| EOs with Threats Listed | 18 | 72% |
| Threat List: | | |
| Grazing | 16 | 64% |
| Logging | 8 | 32% |
| Foot traffic/trampling | 7 | 28% |
| Road/trail construction/maint. | 4 | 16% |
| Altered flood/tidal/hydrologic regime | 2 | 8% |
| Dam/Inundation | 1 | 4% |
| Erosion/runoff | 1 | 4% |
| Other | 1 | 4% |
| Recreational use (non-ORV) | 1 | 4% |

Element Occurrence Data from the CNDDDB

| | |
|-----------------------------------|----|
| Total Element Occurrences: | 25 |
| Element Occurrence Ranks: | |
| Excellent (A) | 2 |
| Good (B) | 7 |
| Fair (C) | 2 |
| Poor (D) | 0 |
| None (X) | 0 |
| Unknown (U) | 14 |
| Occurrence Status | |
| Historical, > 20 years | 20 |
| Recent, < 20 years | 5 |
| Presence | |
| Presumed Extant | 25 |
| Possibly Extirpated | 0 |
| Presumed Extirpated | 0 |

Location

| | |
|---|-----|
| California Endemic | Yes |
| Counties | |
| Siskiyou (SIS), Trinity (TRI) | |
| States | |
| California (CA) | |
| Quads | |
| Billys Peak (4112227), Caribou Lake (4112218), Covington Mill (4012287), Mount Eddy (4112234), Mumbo Basin (4112225), Seven Lakes Basin (4112224), Siligo Peak (4012288), South China Mtn. (4112235), Tangle Blue Lake (4112226), Ycatapom Peak (4112217) | |

Notes

Definitions of codes preceding a county and/or quad:

* Presumed extirpated

(*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

Threatened by grazing. See *Bulletin of the Torrey Botanical Club* 9:17 (1882) for original description, and *Madroño* 25(3):138 (1978) for distributional information.

Threats

Taxononmy

Selected References

Other: USFS Potential Species of Conservation Concern Profile

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website <https://www.rareplants.cnps.org> [accessed 25 April 2024].