

Rare Plant Inventory

rareplants.cnps.org

Report for Astragalus johannis-howellii

TAXON DETAILS Classification

Scientific Name Astragalus johannis-howellii Barneby

Common Name Long Valley milk-vetch

Family Fabaceae
Element Code PDFAB0F4H0

USDA Plants Symbol ASJO

Synonyms/Other Names

Conservation Status

California Rare Plant Rank1B.2Global RankG2State RankS1

CESA CR (07/01/82)

FESA None

Other Status BLM_S; SB_SBBG; USFS_S

CRPR Changes

 Date Added
 1974-01-01

 Last Update
 2022-12-06

Ecology and Life History

Lifeform perennial herb Blooming Period Jun-Aug

Elevation m (ft) 2040-2530 (6695-8300)

General Habitats Great Basin scrub (sandy loam)

Microhabitat Details

Microhabitat

Copyright 2010-2024 California Native Plant Society

Threat List Data from the CNDDB

Threat List Total:		10
	Total EOs	Percent EOs
EOs with Threats Listed	14	74%
Threat List:		
Grazing	12	63%
ORV activity	4	21%
Dam/Inundation	3	15%
Foot traffic/trampling	2	10%
Road/trail construction/maint.	2	10%
Vandalism/dumping/litter	1	5%
Other	1	5%
Recreational use (non-ORV)	1	5%
Mining	1	5%
Non-native plant impacts	1	5%

Element Occurrence Data from the CNDDB

Total Element Occurrences:	19
Element Occurrence Ranks:	
Excellent (A)	1
Good (B)	5
Fair (C)	0
Poor (D)	1
None (X)	0
Unknown (U)	12
Occurrence Status	
Historical, > 20 years	12
Recent, < 20 years	7
Presence	
Presumed Extant	19
Possibly Extirpated	0
Presumed Extirpated	0

Location

California Endemic	No
Counties	
Mono (MNO)	
States	
California (CA), Nevada (NV)	

Quads

Aurora (3811838), Convict Lake (3711857), Dome Hill (3811931), Toms Place (3711856), Watterson Canyon (3711866), West of Huntoon Spring (3811816), Whitmore Hot Springs (3711867)

Notes

Definitions of codes preceding a county and/or quad:

- * Presumed extirpated
- (*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

Threatened by grazing, vehicles, and mining. Possibly threatened by trampling and illegal dumping. Usually found in swales in vicinity of former or present hot springs activity. See *Leaflets of Western Botany* 8(5):124-125 (1957) for original description, and *Memoirs of the New York Botanical Garden* 13:467-468 (1964) for taxonomic treatment.

Threats

Taxononmy

Selected References

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website https://www.rareplants.cnps.org [accessed 26 November 2024].