

Rare Plant Inventory

rareplants.cnps.org

Report for Ramalina thrausta

TAXON DETAILS



© 2013 Scot Loring



© 2013 Scot Loring



© 2013 Scot Loring

Classification

Scientific Name Ramalina thrausta (Ach.) Nyl.

Common Nameangel's hair lichenFamilyRamalinaceaeElement CodeNLLEC3S340

USDA Plants Symbol RATH2

Synonyms/Other Names

Conservation Status

California Rare Plant Rank2B.1Global RankG5?State RankS2S3CESANoneFESANone

Other Status

CRPR Changes added to 2B.1 on 2014-03-01

 Date Added
 2014-03-01

 Last Update
 2022-08-02

Ecology and Life History

Blooming Period

Lifeform fruticose lichen (epiphytic)

Elevation m (ft) 75-430 (245-1410)

General Habitats

North Coast coniferous forest

Microhabitat Details

On dead twigs and other lichens

Microhabitat

Threat List Data from the CNDDB

Threat List Total:		3
	Total EOs	Percent EOs
EOs with Threats Listed	1	5%
Threat List:		
Erosion/runoff	1	4%
Logging	1	4%
Other	1	4%

Element Occurrence Data from the CNDDB

Total Element Occurrences:	21	
Element Occurrence Ranks:		
Excellent (A)	0	
Good (B)	0	
Fair (C)	4	
Poor (D)	0	
None (X)	1	
Unknown (U)	16	
Occurrence Status		
Historical, > 20 years	11	
Recent, < 20 years	10	
Presence		
Presumed Extant	20	
Possibly Extirpated	1	
Presumed Extirpated	0	

Location

Counties

Del Norte (DNT), Humboldt (HUM), Mendocino (MEN), Monterey (MNT), Sonoma (SON)

States

Alaska (AK), California (CA), Idaho (ID), Maine (ME), Michigan (MI), Minnesota (MN), Montana (MT), Oregon (OR), Washington (WA)

Quads

Cant Hook Mtn. (4112368), Fort Bragg (3912347), Fort Ross (3812352), Gasquet (4112378), Grouse Mtn. (4012376), High Divide (4112481), Hiouchi (4112471), Longvale (3912354), Mathison Peak (3912336), Mendocino (3912337), Monterey (3612158), Shelly Creek Ridge (4112387)

Notes

Definitions of codes preceding a county and/or quad:

- * Presumed extirpated
- (*) Possibly extirpated

Species may be present in other areas where conditions are favorable. These data should NOT be substituted for pre-project review or for on-site surveys.

Notes

Known in CA only from the Smith River and its major tributaries in DNT Co., and from a single disjunct occurrence along the Gualala River in SON Co.; needs field surveys. Populations in decline, with net loss of 12.5% of sites in three-year period. In northern CA it is usually found on dead twigs, and has been found on *Alnus rubra*, *Calocedrus decurrens*, *Pseudotsuga menziesii*, *Quercus garryana*, and *Rubus spectabilis*. In SON Co. it grows on and among dangling mats of *Ramalina menziesii* and *Usnea* spp. Similar to *Alectoria sarmentosa*, *A. vancouverensis*, and *R. menziesii*.

Threats

Taxononmy

Selected References

Species Account: Ramalina thrausta profile for potential Species of Conservation Concern evaluation (2018)

Other: USFS Potential Species of Conservation Concern Profile

Other: Bulletin of the California Lichen Society 13(1):17 (2006) for CALS Conservation Committee sponsorship.

Suggested Citation

California Native Plant Society, Rare Plant Program. 2024. Rare Plant Inventory (online edition, v9.5). Website https://www.rareplants.cnps.org [accessed 28 April 2024].